

# Safety Data Sheet

in accordance with Regulation (EC) No. 1907/2006 (REACH)



## arcospray® 38 mN/m

Product no.: 40.80238.0

Revision date: 01/12/2023

Page 1 of 8

Print date: 01/12/2023 / Version 1.1 en

### 1. Identification of the substance or mixture and of the company

#### 1.1. Product identifier:

##### Trade name / designation:

arcospray® 38 mN/m

UFI-Code: QA47-HK5E-6S3Q-G62J

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1 Uses of the substance or mixture:

Determination of the surface tension and surface cleanliness of solids (films / moulded parts) made of plastic, metal, glass etc.

**1.2.2 Uses advised against:** Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Company name

arcotest GmbH

Address

Rotweg 25

71297 Mönsheim, Germany

Phone

+49 7044 9022 70

Fax

+49 7044 9022 69

Contact for information

Mrs Anca Muresan

E-mail

info@arcotest.info

Website

www.arcotest.info

#### 1.4 EMERGENCY TELEPHONE NUMBER:

**+49 170 5351 781**

(24h in German and English)

### 2. Possible Dangers

#### 2.1 Classification of the mixture:

##### Regulation (EC) No. 1272/2008

Flammable liquids, category 3

H226

##### Additional information:

Full text of H and EUH phrases: see under section 16.

Maximum 24% ethanol in a mixture

#### 2.2 Labelling elements

##### Labelling in accordance with Regulation (EG) No. 1272/2008 [CLP]

##### Hazard pictograms:



##### Signal word:

Warning

##### Hazard-determining components of labeling:

Ethanol (maximum 24%)

##### Hazard statements:

H226 Flammable liquid and vapour.

##### Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking

P233 Keep containers tightly closed

P501 Dispose of contents / container to a hazardous waste collection point or special requirements in accordance with local, regional or international regulations.

Labelling of packaging with contents of no more than 125 ml

Signal word: Warning

Hazard symbol:



**For professional users only.**

**2.3 Other hazards:**

No additional information is available.

**Results of PBT- and vPvB assessment (Ethanol 642 – 99,9 %):**

**PBT:** The product does not meet the PBT criteria as per regulation (EG) No. 1907/2006, Annex XIII.

**vPvB:** The product does not meet the vPvB criteria as per regulation (EG) No. 1907

**3. Composition / Information on Ingredients**

**3.2 Mixtures**

**Hazardous ingredients**

Designation				
CAS No.	EC No.	REACH No.	Index No.	%
Classification in accordance with Regulation (EG) No. 1272 [CLP]				MG in g/mol
<b>Ethanol - C<sub>2</sub>H<sub>5</sub>OH / C<sub>2</sub>H<sub>6</sub>O</b>				
64-17-5	200-578-6	01-2119457610-43-XXXX	603-002-00-5	1-24%
H225				46.07 g/mol

Preparation of ethanol denatured with MEK and chromophoric components.

**Additional information:**

Full text of H and EUH phrases: see under section 16.

**4. First Aid Measures**

**4.1 Description of first aid measures**

**After inhalation:**

Supply fresh air

**After skin contact:**

Rinse with plenty of water. Remove contaminated clothing.

**After eye contact:**

Rinse with plenty of water. Consult an eye specialist immediately.

**After ingestion:**

Drink plenty of water immediately (maximum 2 glasses). Consult a doctor

**4.2 Most important symptoms and effects, both acute and delayed**

The preparation contains ethyl alcohol. Depending on the amount ingested and the accompanying circumstances, different states of intoxication with loss of self-control, dizziness and vomiting occur after the euphoric stage.

**4.3 Indication of any immediate medical attention or special treatment needed**

No information available.

**5. Fire-fighting Measures**

**5.1 Extinguishing agents:**

Carbon dioxide (CO<sub>2</sub>), foam, extinguishing powder, water

**5.2 Specific hazards arising from the substance or mixture**

Flammable substances, vapours are heavier than air and spread over the floor.

Explosive mixtures with air may form at ambient temperatures. Watch out that the fire does not reignite.

Hazardous combustion gases or vapours may form in case of fire.

**5.3 Advice for fire-fighters**

Wear self-contained breathing apparatus in case of fire

**Additional information:**

Use a water spray jet to cool closed containers near to the source of the fire. Prevent extinguishing water from entering the surface water or ground water system.

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Avoid substance contact. Do not inhale vapour/aerosol. Ensure adequate ventilation. Evacuate the danger zone, observe emergency procedures, consult an expert.

#### Emergency services

Protective equipment: see section 8

### 6.2 Environmental precautions:

Do not empty into drains. Risk of explosion.

### 6.3 Methods and material for containment and cleaning up

Please note possible material restrictions! (Information in section 7 or section 10)

Absorb with liquid-binding material, e.g. Chemizorb®. Send for disposal. Clean up area.

### 6.4 Reference to other sections

Refer to safe handling see section 7.

Refer to personal protective equipment see section 8.

Refer to section 13 for disposal information

## 7. Handling and Storage

### 7.1 Precautions for safe handling

#### Protective measures:

Observe the instructions on the label.

Keep away from open flames, hot surfaces and ignition sources. Take precautionary measures against static discharges.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage facilities and containers:

Keep containers tightly closed in a dry and well ventilated place. Keep away from heat and ignition sources.

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end uses:

There are no other specific end uses other than those referred to in section 1.

## 8. Exposure Limitation and Control / Personal Protective Equipment

### 8.1 Control parameters

Components with limit values that require monitoring at the workplace

#### 8.1.2 Biological limit values:

TRGS 900 (Ethanol 642 – 99.9%)

Name: Ethanol (64-17-5)

Value (AGW): 200 ppm, 360 mg/m<sup>3</sup>

Peak limit: Overrun factor 4

Duration: 15 min. Mean value; 4 times per shift; distance 1 h

Category: II - Resorptive substances

Name: Ethyl methyl ketone (78-93-3)

Value (AGW): 200 ml/m<sup>3</sup>

600mg/m<sup>3</sup>

Peak limit: 1

Category for short-term values: Category I: substances for which the localised effect has an assigned limit value or for substances with a sensitising effect in respiratory passages.

There is no need to be concerned about the risk of foetal damage when complying with the workplace limit values (AGW) and the biological limit values (BGW)

#### EC value (ECTLV)

Short-term value: 300 ppm; 900 mg/m<sup>3</sup>

Daily average value: 200 ppm; 600 mg/m<sup>3</sup>

Biological tolerance values for occupational exposure – Germany (BAT):

5 mg/l Parameter: 2-Butanone

Test material: urine

Sampling time: end of exposure, end of shift

## 8.2 Exposure limitation and control

The usual precautionary measures when handling chemicals must be observed.

### 8.2.1 Appropriate engineering controls:

The method for measuring the workplace atmosphere must comply with the requirements of DIN EN 482 and DIN 689.

### 8.2.2 Personal protective equipment:

Body protection needs to be selected specifically for the workplace based on the concentration and volume of hazardous substances. The chemical resistance of the protective equipment should be ascertained with the respective supplier.

As work is generally carried out with very small quantities, there is less need for personal protective equipment with the exception of appropriate hand protection if used carefully and properly with a brush or pen application as long as skin contact can be excluded. It is advisable to use special skin barrier cream to protect the skin.

#### Hygiene measures:

Change contaminated clothing immediately. Preventative skin protection. Wash hands and face after finishing work.

#### Eye protection:

Safety goggles

#### Hand protection:

In full contact: Hand protection material: Butyl rubber,  
Layer thickness 0.70 mm, > 10 min breakthrough time

With splash contact: Hand protection material: nitrile rubber,  
Layer thickness 0.40 mm, >10 min breakthrough time

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the resultant standard EN 374, for example KCL 898 Butojet® (full contact), KCL 730 Camatril® Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests according to EN374 with samples of the recommended glove types.

This recommendation applies only for the product mentioned in this safety data sheet that is supplied for the purpose specified by us. If it is dissolved in or mixed with other substances and under conditions deviating from EN374, you will need to contact suppliers of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell).

#### Respiratory protection:

Required when vapours/aerosols are generated.

Recommended filter type: filter A

The operator must ensure that the maintenance, cleaning and testing of breathing apparatus is carried out and documented in accordance with the manufacturer's user information.

### 8.2.3 Environmental exposure limitation and control

Do not empty into drains. Risk of explosion.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Form:	liquid
Colour:	light green
Odour:	alcohol-like
Odour threshold:	no information available
pH value:	no information available
Melting point:	no information available
Boiling point / boiling range:	no information available
Flash point:	approx. 35°C
Evaporation rate:	no information available
Flammability:	no information available
Lower explosion limit:	Ethanol 642 : >1.3 % vol
Upper explosion limit:	Ethanol 642 : 15 % vol
Vapour pressure:	Ethanol 642 : (20°C): 59 hPa
Relative vapour density:	no information available
Relative density:	no information available
Water solubility:	no information available
Partition coefficient; n	Ethanol 642: log Pow: -0.31 (25°C)

Octanol/water	Method: (experimental) (lit.) Bioaccumulation is not expected (log Pow <1)
Autoignition temperature:	no information available.
Decomposition temperature:	no information available
Viscosity, dynamic:	no information available
Explosive properties:	no information available.
Oxidising properties:	no information available.
Ignition temperature:	no information available.
Particle characteristics:	not relevant (liquid)

## 10. Stability and Reactivity

### 10.1 Reactivity:

Vapours may form an explosive mixture with air.

### 10.2 Chemical stability:

The product is chemically stable under normal ambient conditions (room temperature).

### 10.3 Possibility of hazardous reactions:

Avoid all sources of ignition: Heat, sparks, open flames

Avoid electrostatic discharge.

Avoid extreme temperatures

Protect from direct sunlight

### 10.5 Incompatible materials:

Oxidising agent

Alkali and alkaline earth metals.

### 10.6 Hazardous decomposition products:

In case of fire, carbon oxides may be produced.

## 11. Toxicological Information

### 11.1 Information on toxicological effects

#### 11.1.1 Substances

#### Acute toxicity (Ethanol 642 – 99.9%)

Oral: LD50 rat: dose 6200 -17800 mg/kg

Inhalation: LC50 mouse: dose >20 mg/l, 4h (RTECS); symptoms: mild irritation of mucosal membranes, absorption

Dermal:LD50 (rabbit): > 20000 mg/kg (OECD TG 402) literature value

Skin irritation (rabbit): No irritation (OECD 404)

Eye irritation (rabbit) : No irritation (OECD 405)

Sensitisation test (Magnusson and Kligman): negative (IUCLID)

In-vitro genotoxicity: Ames test (Salmonella typhimurium): negative (National Toxicology Program)

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

No information available.

#### Specific target organ toxicity (single exposure)

The mixture is not classified as target organ toxic with single exposure.

#### Specific target organ toxicity (repeated exposure)

The mixture is not classified as target organ toxic with repeated exposure.

#### Risk of aspiration

No classification with regard to aspiration toxicity

#### Further information:

Systemic effects: Euphoria. After absorption of large quantities: dizziness, intoxication, narcosis, respiratory paralysis

#### Further information:

Take the normal precautions when handling chemicals.

#### 11.2 Endocrine disrupting properties

Not listed.

#### 11.3 Information on other hazards

There is no additional information.

## 12. Ecological Information

### 12.1 Ecotoxicity (Ethanol 642 – 99.9%):

Fish toxicity:	LC50 Leuciscus idus 8140 mg/l / 48 h (IUCLID)
Daphnia toxicity:	EC5 Entosiphon sulcatum: 65 mg/l / 72 h (toxic limit concentration) (lit) EC50 Daphnia magna: 9268-14221 mg/l / 48 h (IUCLID)
Algal toxicity:	IC5 Scenedesmus quadricauda: 5000 mg/l / 7 d (toxic limit concentration) (lit)
Bacteria toxicity:	EC5 Pseudom. putida: 6500 mg/l 16 h (toxic limit concentration) (IUCLID)

### 12.2 Persistence and degradability (Ethanol 642 – 99.9%):

<u>Biodegradability</u> :	readily biodegradable: >70% (301D)
Biochemical oxygen demand (BOD):	930-1670 mg/g (5d) (lit.)
Chemical oxygen demand (COD):	1700 mg/g (84/44/EEC)
Theoretical oxygen demand (ThOD):	2100 mg/g (lit.)
COD/ThBOD ratio	90 % (lit.)

### 12.3 Bioaccumulation potential (Ethanol 642 – 99.9%):

Partition coefficient; n-Octanol / water	
Log Pow: -0.32 (experimental) (lit)	
Bioaccumulation is not expected (log Pow<1)	

### 12.4 Mobility in soil

No information available

### 12.5 Results of PBT and vPvB assessment

A PBT/vPvB assessment is not available and a chemical safety assessment is not required / has not been carried out.

### 12.6 Other harmful effects:

#### Additional ecotoxicological information:

Do not allow to enter watercourses, waste water or soil!

### 12.7 Endocrine disrupting properties

Not listed.

### 12.8 Other adverse effects

Data are not available.

## 13. Disposal Considerations

### 13.1 Waste management process

This product and its container must be disposed of as hazardous waste. Disposal of contents and containers in accordance with local/regional/international regulations.

#### Information relevant for waste water disposal

Do not allow to enter sewerage system.

### 13.2 Relevant waste legislation

The assignment of the waste code numbers /waste designations shall be carried out in accordance with EAKV in a sector- and process-specific manner.

### 13.3 Notes

Waste shall be separated in such a way that it can be treated separately by municipal or national waste facilities. Please observe the relevant national or regional regulations.

### 13.4 Further information

Ink that is no longer usable can be returned for disposal.

## 14. Transport Information

Not governed by the transport regulations as the ratio of ethanol is below 24%.

Special provisions 144 (ADR).

### 14.1 Special precautions for users

Not classified as a hazardous material according to the ADR/RID, ADN, IATA, IMDG transport regulations

### 14.2 Transport in bulk according to Annex II of the MARPOL 73/78 Convention and the IBC Code

Not relevant.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 EU regulations

**Hazardous Incident Ordinance:** 96/82/EC Edition: 2003  
 Flammable. 7b  
 Quantity 1: 5000 t Quantity 2: 50000 t

**Employment restriction:** Observe employment restrictions in accordance with the Youth Protection Act (94/33/EC).

**Relevant European Union (EU) regulations**

**Regulation 649/2012/EU on the export and import of dangerous chemicals (PIC).**

Not listed.

**Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS).**

Not listed.

**Regulation 850/2004/EC on Persistent Organic Pollutants (POP)**

Not listed.

**Restrictions according to REACH, Annex VIII**

None

**List of substances subject to authorisation (REACH, Annex XIV) /SVHC - candidate list**

Not listed

**Directive on industrial emissions (VOCs, 2010/75/EU) Deco-Paint Directive (2004/42/EC)**

**VOC content:** 100 %

**Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) - Annex II**

Not listed

**Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Pollutant Release and Transfer Register (PRTR)**

Not listed

**Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

Not listed.

**Regulation 98/2013/EU on the marketing and use of explosives precursors**

Not listed

**Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

Not listed

**15.1.2. Substance is listed in the following national inventories:**

Country	National Directories	Substance status
AU	AICS	Ethanol is listed
CA	DSL	Ethanol is listed
CN	IECSC	Ethanol is listed
EU	ECSI	Ethanol is listed
EU	EINECS/ELINCS/NLP	Ethanol is listed
JP	CSCL-ENCS	Ethanol is listed
KR	KECI	Ethanol is listed
MX	INSQ	Ethanol is listed
NZ	NSQ	Ethanol is listed
PH	PICCS	Ethanol is listed
TR	CICR	Ethanol is listed
TW	TCSI	Ethanol is listed
US	TSCA	Ethanol is listed

**Legende**

AICS Australian Inventory of Chemical Substances

CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

DSL Domestic Substances List (DSL)

ECSI EG-Stoffverzeichnis (EINECS, ELINCS, NLP)

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

KECI Korea Existing Chemicals Inventory

NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registrierte Stoffe

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

### 15.1.2 National regulations (Germany)

Storage class VCI: 3 Flammable liquid substances

BG-Chemie data sheet:

M017 Solvents

M050 Handling hazardous materials

Water hazard class: WGK 1 Slightly harmful to water

### 15.2 Chemical safety assessment:

No chemical safety assessment has been carried out for this product.

## 16. Other Information

### 16.1 Changes made (revised safety data sheet)

Notice of changes: Section 2 Section 3 Section 9

### 16.2 Abbreviations and acronyms

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS Chemical Abstracts Service

DIN German Institute for Standardisation

EG European Community

IATA-DGR International Air Transport Association – Dangerous Goods Regulations

IBC Code International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code International Maritime Code for Dangerous Goods

ISO International Standards Organisation

IUCLID International Uniform Chemical Information Database

LC Lethal Concentration

LD Lethal Dose

log  $K_{ow}$  Partition coefficient between octanol and water

OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative, Toxic

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

TRGS Technical Rules for Hazardous Substances

UN United Nations

VOC Volatile Organic Compounds

vPvB very Persistent and very Bioaccumulative

VwVwS Administrative Regulation on the Classification of Substances Hazardous to Water

WGK Water Hazard Class

### 16.3 Most important literature references and data sources

The data for the ingredients was taken from the most recent version of the pre-supplier's safety data sheet.

Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

### 16.4 Classification of mixtures and evaluation methods used in accordance with Regulation (EC) No. 1272/2008 [CLP]

See section 2.1 (classification).

### 16.5 Wording of H and EUH phrases (number and full text):

H226 Flammable liquid and vapour.

### 16.6 Training advice:

Provide appropriate information, instructions and training for users.

### 16.7 Other information:

The health hazards referred to in this data sheet may occur if larger quantities of the product are handled carelessly or inappropriately and when safety precautions and hygiene measures are not observed.

However, as a quantity of several milligrams is used in a process to measure the surface tension and these measurements are not continuous but instead conducted over a period of one or more hours, we can practically exclude any damage to health if the product is handled correctly and the prescribed safety measures are observed (these include good ventilation and appropriate hand protection).

**Information:**

Phone	+49 7044 9022 70
Fax	+49 7044 9022 69
E-mail	<a href="mailto:info@arcotest.info">info@arcotest.info</a>

The information contained herein is based on our present knowledge and characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product described. Changes or duplications require the express permission of arcotest GmbH